

In The Claims:

Cancel Claim 16.

Please amend the following claims:

- E1  
Sub  
G1
2. (Amended) Moulding compositions according to Claim 22, containing 75 to 98 parts by weight of an aromatic polycarbonate A.
3. (Amended) Moulding compositions according to Claim 22, containing graft polymers B) produced by copolymerisation of
- 5 to 95 parts by weight of a mixture of
- 50 to 95 parts by weight of styrene,  $\alpha$ -methyl styrene, styrene with alkyl substitution in the ring, C<sub>1</sub>-C<sub>8</sub>-alkyl methacrylate, C<sub>1</sub>-C<sub>8</sub>-alkyl acrylate or mixtures of these compounds and
- 5 to 50 parts by weight of acrylonitrile, methacrylonitrile, C<sub>1</sub>-C<sub>8</sub>-alkyl methacrylate, C<sub>1</sub>-C<sub>8</sub>-alkyl acrylate, maleic anhydride, C<sub>1</sub>-C<sub>4</sub>-alkyl- or phenyl-N-substituted maleimide or mixtures of these compounds on
- 5 to 95 parts by weight of rubber with a glass transition temperature of less than -10°C.
- E2  
Sub  
G1
5. (Amended) Moulding compositions according to Claim 22, containing component C in a quantity of a monophosphorus compound C.1 and an oligomeric phosphorus compound C.2 having a synergistic effect.
6. (Amended) Moulding compositions according to Claim 22, containing as component C a mixture of 12 to 50 wt.% C.1 and 50 to 88 wt.% C.2.
7. (Amended) Moulding compositions according to Claim 22, containing as component C.1 triphenyl phosphate.
8. (Amended) Moulding compositions according to Claim 22, containing as component C.2 an oligomeric phosphate in which R<sub>4</sub>, R<sub>5</sub>, R<sub>6</sub> and R<sub>7</sub> represent phenyl groups and X represents a phenylene group.

Mo-5383

- 2 -

10. (Amended) Moulding compositions according to Claim 22, wherein component D is used in the form of a coagulated mixture with component B.

14. (Amended) A method of using the composition of Claim 22, comprising making an injection molded article.

17. (Amended) The molding composition of Claim 23 wherein X conforms to formula (III) and where q is 0.

18. (Amended) The molding composition of Claim 23 wherein X conforms to formula (IV) and wherein both  $R^8$  and  $R^9$  signify hydrogen.

19. (Amended) The molding composition of Claim 23 wherein X is at least one member selected from the group consisting of compounds conforming to formula (III) where q is 0 and compounds conforming to formula (IV) where both  $R^8$  and  $R^9$  signify hydrogen.

20. (Amended) The molding composition of Claim 23 wherein X is at least one member selected from the group consisting of hydroquinone, resorcinol, 4,4'-dihydroxydiphenyl, 2,2-bis(4-hydroxyphenyl)propane, 2,4-bis(4-hydroxyphenyl)-2-methylbutane, 1,1-bis(4-hydroxyphenyl)cyclohexane, 1,1-bis(4-hydroxyphenyl)-3,3-dimethylcyclohexane, 1,1-bis(4-hydroxyphenyl)-3,3,5-trimethylcyclohexane and 1,1-bis(4-hydroxyphenyl)-2,4,4-trimethylcyclopentane.


Please add the following:

- 22. A flame resistant thermoplastic molding composition comprising

A) 70 to 98 parts by weight of an aromatic polycarbonate based on one or more of the diphenols of formula (III)


Mo-5383

- 3 -



where

A signifies a single bond, C<sub>1</sub>-C<sub>6</sub>-alkylene, C<sub>2</sub>-C<sub>5</sub>-alkylidene, C<sub>5</sub>-C<sub>8</sub>-cycloalkylidene, -S- or -SO<sub>2</sub>-, B independently of one another signify C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>6</sub>-C<sub>10</sub>-aryl, C<sub>7</sub>-C<sub>12</sub>-aralkyl, q signifies 0, 1 or 2 and p signifies 1 or 0, or of the dihydroxyphenylcycloalkanes of formula (IV),




where

R<sup>8</sup> and R<sup>9</sup>, independently of one another, signify hydrogen, C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>5</sub>-C<sub>8</sub>-cycloalkyl, C<sub>6</sub>-C<sub>10</sub>-aryl, and C<sub>7</sub>-C<sub>12</sub>-aralkyl, m signifies an integer from 4, 5, 6 or 7, R<sup>10</sup> and R<sup>11</sup>, are selected individually for each Z and independently of one another, signify hydrogen or C<sub>1</sub>-C<sub>6</sub>-alkyl and Z signifies carbon, with the proviso that R<sup>10</sup> and R<sup>11</sup> both signify alkyl simultaneously on at least one Z atom.

B) 0.5 to 20 parts by weight of a graft polymer having average particle diameter, d<sub>50</sub>, of 0.05 to 2 μm,

C) 0.5 to 5 parts by weight of a mixture of

C.1) 10 to 90 wt.%, based on C, of a monophosphorus compound of formula (I)




where

$\text{R}^1$ ,  $\text{R}^2$  and  $\text{R}^3$ , independently of one another, signify  $\text{C}_1$ - $\text{C}_8$ -alkyl,  $\text{C}_6$ - $\text{C}_{20}$ -aryl or  $\text{C}_7$ - $\text{C}_{12}$ -aralkyl,

$m$  signifies 0 or 1 and  $n$  signifies 0 or 1 and

C.2) 90 to 10 wt.%, based on C, of a phosphorus compound of formula (II)



where

$\text{R}^4$ ,  $\text{R}^5$ ,  $\text{R}^6$ ,  $\text{R}^7$ , independently of one another, signify  $\text{C}_1$ - $\text{C}_8$ -alkyl,  $\text{C}_5$ - $\text{C}_8$ -cycloalkyl,  $\text{C}_6$ - $\text{C}_{10}$ -aryl or  $\text{C}_7$ - $\text{C}_{12}$ -aralkyl,  $l$  independently of one another, signifies 0 or 1,  $N$  signifies 1 to 5 and  $X$  signifies a mononuclear or polynuclear aromatic radical with 6 to 30 C atoms and

D) 0.05 to 5 parts by weight of a fluorinated polyolefin with an average particle diameter of 0.05 to 1000  $\mu\text{m}$ , a density of 1.2 to 2.3  $\text{g/cm}^3$  and a fluorine content of 65 to 76 wt.%, and at least one additive selected from the group consisting of stabilizers, dyes, pigments, lubricants, mold release agents, fillers, reinforcing agents, nucleating agents and static agents.

-23. The molding composition of Claim 22 wherein  $X$  is a radical derived from a diphenol conforming to formula (III). --